
# How to Properly Insulate a Slab

Presented by: Mike Turns, Associate Director, PHRC

Tuesday, April 10, 2012 1:00 PM





4


Slab edge insulation is "one of the most abused details in construction".

-- David Hales, Building Science Professor at the University of Washington



### **Heat Loss through an Insulated Slab**

• Typical 2-story, 2,000 SF house with R-10 perimeter slab insulation



### E402.1.1 **Insulation and Fenestration Criteria**

### Table 402.1.1 Insulation and Fenestration Requirements by Component<sup>a</sup>

CLIMATE ZONE	FENESTRATION U-FACTOR <sup>b</sup>	SKYLIGHT <sup>b</sup> U-FACTOR	GLAZED FENESTRATION <sup>b,e</sup> SHGC	CEILING R-VALUE	WOOD FRAME WALL R-VALUE	MASS WALL R-VALUE	FLOOR R- VALUE	BASEMENT° WALL R-VALUE	SLAB <sup>d</sup> R-VALUE & DEPTH	CRAWL SPACE° WALL R-VALUE
1	1.20	0.75	0.30	30	13	3/4	13	0	0	0
2	0.65 <sup>j</sup>	0.75	0.30	30	13	4/6	13	0	0	0
3	0.50 <sup>j</sup>	0.65	0.30	30	13	5/8	19	5 / 13 <sup>f</sup>	0	5/13
4 except Marine	0.35	0.60	NR	38	13	5 / 10	19	10 / 13	10, 2ft	10 / 13
5 and Marine 4	0.35	0.60	NR	38	20 or 13+5 <sup>h</sup>	13 / 17	30 <sup>g</sup>	10 / 13	10, 2 ft	10 / 13
6	0.35	0.60	NR	49	20 or 13+5 <sup>h</sup>	15 / 19	30 <sup>9</sup>	15 / 19	10, 4 ft	10 / 13
7 and 8	0.35	0.60	NR	49	21	19 / 21	38 <sup>9</sup>	15 / 19	10, 4 ft	10 / 13

\*Sasement wall insulation is not required in warm-humid locations as defined by Figure 30.1.3 and Table 30.1.1.


\*C19-5\*\* means R-13 cavity insulation plus R-5 insulated sheathing. If structural sheathing covers 25 percent or less of the exterior, insulating sheathing is not required where structural sheathing is used. If structural sheathing covers 25 percent or less of the exterior, insulating sheathing is not required where structural sheathing is used. If structural sheathing covers the sheathing covers the structural sheathing is used. If structural sheathing covers the sheathing covers are the sheathing covers and the sheathing covers are sheathing covers. If the sheathing covers are sheathing covers and the sheathing covers are sheathing covers. If the sheathing covers are sheathing covers and sheathing is not required where structural sheathing is used. If structural sheathing covers are sheathing covers are sheathing covers and sheathing is not required where structural sheathing is used. If structural sheathing covers are sheathing is not required where structural sheathing is used. If structural sheathing covers are sheathing is not required where structural sheathing is used. If structural sheathing covers are sheathing is not required where structural sheathing is used. If structural sheathing is not required where structural sheathing is used. If structural sheathing is not required where sheathing is not required where sheathing is not required whe


<sup>\*\*</sup>A-values are minimums, U-factors and SHGC are maximums, R-19 batts compressed into a nominal 2 x 6 farming cavity such that the R-value is reduced by R-1 or more shall be marked with the compressed batt R-value in addition to the full thickness R-value.


\*\*The fenestration U-factor column excludes skylights. The SHGC column applies to all glazed fenestration.


\*\*The fenestration U-factor column excludes skylights. The SHGC column applies to all glazed fenestration.


\*\*The SHGC value is a standard standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore interior of the hore is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the interior or exterior of the hore. The SHGC value is a standard sheathing on the sheathing on the SHGC value is a standard sheathing on th




















### **Effect of Slab Edge Insulation**


- Slab edge may be responsible for about 60% of the slab's total heat loss (Certainteed)
- REM/Design simulations
  - 8% increase in total heating consumption with no slab edge insulation
  - 62% of heat loss through slab edge



PHRC


16


# Distance Below Grade Insulation located below grade shall be extended the distance provided in Table 402.1.1 Climate zones 4-5: 2 ft Climate zone 6: 4 ft Figure 2 PHRC PHRC


















## **Using the Performance Path**


- Use IECC Section 405: Simulated Performance Alternative
  - Software modeling (e.g. REM/Design, EnergyGuage USA)
  - Energy cost of proposed home must be ≤ the reference home
  - Includes:
    - Building orientation
    - Air infiltration rate
    - R-values
    - Etc.





















# EXTERIOR FOUNDATION INSULATION






















Protection of Exposed Foundation Insulation

• Exterior foundation insulation shall have a rigid, opaque and weather-resistant protective covering

- Covering shall extend 6" below grade

flashing protection insulation



# Insulation Protection Options 1. Pressure-treated plywood

- 2. Fiber-cement panel siding
- 3. Cementitious coating (stucco) either reinforced with fiber,
  or installed over fiberglass
  mesh, or installed over metal
  lath.



PHRC

### **Proprietary Products**

Insul-Cap vinyl covering from Wisconsin Poured Wall Products 1.

Source: Martin Holladay, GBA Advisor 2. Ground Breaker fiberglass covering from Nudo Products

- 3. Insul-Guard 2 fiberglass covering from Diversified Composites
- Surface-bonding cement
- 5. Perma-Bond Complete (foam plus factory adhered cementitious coating)
- 6. FP Ultra Lite panels (factory coated foam panels) from Styro Industries
- Protecto Bond peel-and-stick membrane
- EnergyEdge



### **Summary**

- Slab insulation is required when:
  - The space above is conditioned
  - Slab is one foot or less below grade
- R-10 insulation required, extending...
  - 2 feet below grade for climate zones 4 and 5
  - 4 feet below grade for climate zone 6
- Insulation should extend downward from the top of the slab (with two options to reduce slab edge insulation R-value)
- Exterior slab insulation must be protected



### **Questions & Evaluations**

Next Month's Webinar - Makeup air and large kitchen exhaust systems May 8, 2012 - 1:00 PM

